

Hi-Stirrer

電動攪拌器

■ G-S • G-R • G-RT



S型
標準型



R型
附轉速表型



RT型
附轉速及扭力表型



G-250R
附轉速表型



G-250S
標準型



G-150R

特點

1. 採用特製高性能直流無段變速馬達，安靜絕無噪音
2. 使用時可視試料情形，任意調節速度
3. 是研究室、實驗室、工廠、學校等實用之攪拌器
4. 本機具安全過溫保護裝置，安裝簡單

共用規格

- 馬達：DC馬達，100W、150W、250W
- 夾頭：不銹鋼材質0~10m/m
- 攪拌棒：不銹鋼#304，8 ϕ ×500Lm/m
- 攪拌翼：不銹鋼#304，8 ϕ ×50m/m
- 支持夾：不銹鋼製
- 支持柱：不銹鋼#304 19 ϕ ×750Lm/m
- 電源：AC110/220V，50/60Hz，單相

規格說明

型式	轉速RPM	馬達
G-100S	250-3000	100W
G-150S	250-3000	150W
G-100R	250-3000	100W
G-150R	250-3000	150W
G-100RT	250-3000	100W
G-150RT	250-3000	150W
G-250R	250-3000	250W
G-250S	250-3000	250W

攪拌器配件

■ 不銹鋼攪拌翼

規格說明

材質：不銹鋼 #304 內孔 $\Phi 8$ 或中牙
 外徑： $\Phi 35$ 、 $\Phi 50$ 、 $\Phi 60$ 、 $\Phi 80$ 、 $\Phi 100$ 、 $\Phi 120$ 、 $\Phi 150$

SK-10470-1	SK-10470-2	SK-10470-3	SK-10470-4	SK-10470-5	SK-10470-6	SK-10470-7
						
SK-10470-8	SK-10470-9	SK-10470-11	SK-10470-13	SK-10470-14	SK-10470-15	SK-10470-16
						
SK-10470-18	SK-10470-19	SK-10470-20	SK-10470-21	SK-10470-22	SK-10470-23	SK-10470-24
						
SK-10470-25	SK-10470-26	SK-10470-27	SK-10470-28	SK-10470-29	SK-10470-30	SK-10470-31
						
SK-10470-32	SK-10470-33	SK-10470-34	SK-10470-35			
						

■ 攪拌棒



NO. 36

NO. 37

NO. 38

TEFLON特製棒

■ 支持夾



商品編號	型式
SK-10502	支持夾

■ 燒杯鏈夾



商品編號	型式
SK-10503	燒杯鏈夾

■ 皮帶夾



商品編號	型式
SK-10505	皮帶夾

■ 底座



■ TEFLON軸封



普式

密式

商品編號	型式	商品編號	型式
SK-10500	底座A型	SK-10501	底座H型

商品編號	型式(規格)
SK-10490	24/40(普式)
SK-10491	29/42(普式)
SK-10492	24/40(密式)
SK-10493	29/42(密式)
SK-10494	45/50(普式)

■ TEFLON攪拌棒



■ 支持柱



商品編號	型式
SK-10504	19×750m/m
SK-10507	19×1000m/m
SK-10509	19×1200m/m

■ 三叉夾(大、中、小)



商品編號	型式
SK-10506-1	大
SK-10506-2	中
SK-10506-3	小

商品編號	型式(規格)
SK-10485	Φ8 × L450 m/m
SK-10486	Φ8 × L600 m/m
SK-10487	Φ8 × L750 m/m
特製品	Φ10 × L600 m/m
特製品	Φ10 × L750 m/m